



Contribution ID: 64

Type: POSTER

Magnetic and electrical transport properties of Ce/Ca substituted perovskite oxides

Magnetic and electric transport studies have been made on cerium-calcium substituted perovskites $\text{La}_{1-2x}\text{Ce}_x\text{Ca}_x\text{MnO}_3$ for $x = 0.05, 0.10$ and 0.15 , prepared by solgel method. Magnetization and electrical measurements are reported in the temperature range $20\text{K} - 300\text{K}$ and in fields upto 8 kOe and $2\text{K} - 300\text{K}$ and in fields upto 14 T respectively. All the samples undergo paramagnetic to ferromagnetic transition. Among the Ce/Ca substituted samples LCeCaM15 is highly disordered. Addition of 10 atomic\% Ca into 10 atomic\% Ce substituted system drives the FM state towards a more disordered one and when in place of 10 atomic\% Ce , the substitution is of 5 atomic\% Ce and 5 atomic\% Ca , the system shows up to be far better FM ordered. In the series $\text{La}_{1-2x}\text{Ce}_x\text{Ca}_x\text{MnO}_3$ no upturn is seen in resistivity but there is only a slight tendency of increase at $\sim 30\text{K}$ [Figure 1]. This would mean that in the Ce/Ca substituted samples, of the two competing factors –decreasing scattering with lowering of temperature leading to reduction in resistivity and spin polarized tunneling leading to enhancement of resistivity - the factor of decreasing scattering overtakes. In insulating regions of all the samples, at temperatures above the $M - I$ transition points, conduction is controlled by variable range hopping and at higher temperatures small polaron hopping mechanism is operative [1]. Values of activation energy are much smaller those reported in other substituted manganites [2]. The magnetoresistance (MR), plot shown in Fig. 1 as a function of temperature, is observed to be negative and large. For all the three samples, under 5 T field it is as high as $\sim 40\%$ at temperatures close to $I - M$ transition and under 14 T the maximum is $\sim 68\%$ for LCeCaM05 . At 300K and under 5 T field it is close to 15% for all the samples.

Are you a student, a delegate from developing countries or a participant with physical needs and would like to apply for a sponsored accomodation. Please answer with yes or no.

yes

Please specify whether you would prefer an oral or poster contribution.

Oral

Primary author: SHARMA, M. P. (University of Rajasthan, Jaipur (India))

Co-authors: Prof. KRISHNAMURTHY, Anjali (Department of Physics, University of Rajasthan, Jaipur); Prof. SRIVASTAVA, Bipin K. (Department of Physics, University of Rajasthan, Jaipur); Dr GANESAN, V. (UGC-DAE Consortium for Scientific Research, Indore)

Presenter: SHARMA, M. P. (University of Rajasthan, Jaipur (India))

Track Classification: Magnetism and Magnetic materials - Bulk and thin layers