



Contribution ID: 314

Type: **Parallel Session Talk**

## The global electroweak fit and constraints on new physics

*Friday, 23 July 2010 17:15 (15 minutes)*

Physics beyond the Standard Model (SM) can modify the relations between electroweak observables and their theoretical predictions. Such effects can be parametrised in terms of effective, so-called oblique parameters. A global fit of the electroweak SM, as performed with the Gfitter package, allows one to determine the oblique parameters and to derive constraints on new physics. In this talk, the Gfitter results for the oblique parameters are presented coherently together with constraints on various new physics models, including Little Higgs models, Extra Dimensions, Supersymmetry, Technicolour and Four Generations.

**Primary author:** GOEBEL, Martin (DESY - Uni Hamburg)

**Co-authors:** HOECKER, Andreas (CERN); LUDWIG, Doerthe (DESY - Uni Hamburg); FLAECHEER, Henning (Rochester Univ.); HALLER, Johannes (University of Hamburg); MOENIG, Klaus (DESY); SCHOTT, Matthias (CERN); BAAK, Max (CERN)

**Presenter:** LUDWIG, Dörthe (DESY/ University of Hamburg)

**Session Classification:** 10 - Beyond the Standard Model (theory and experimental searches)

**Track Classification:** 10 - Beyond the Standard Model (theory and experimental searches)